

LE CATALOGUE



SAFETYLINE, the contemporary louver window: natural ventilation and solar protection

PRODUCT BENEFITS


- Ideal for new builds or renovations
- Large sizes up to 1.4 m wide available with high performance levels
- Multiple compositions to choose from: fixed/ mobile louvers, aluminium/glass/combination
- Integrated fly screen
- Compatible with the entire TOPAZE range
- Optional concealed motorisation that is compatible with home automation systems




MOTORISATION FEATURES

- Motor integrated into the standard fixed frame
- A single motor can power up to 18 aluminium louvers or 12 glass louvers
- Possibility of using several motors
- Louvers driven by cassettes
- No need for compensation springs
- Integration into a home automation system/centralised control system
- Energy efficient motor (12 VDC / 10 W)
- Wired or remote control
- Endurance tested over 30,000 cycles
- Weather resistance is the same for the manual and motorised versions

CROSS-SECTIONS



Horizontal glass louver



PERFORMANCE

5.7 2.5	LOUVER DIMENSIONS	Up to 135 mm
< + >	MAXIMUM DIMENSIONS	Up to 1.4 m wide
•	WEATHER PERFORMANCE	$A_2 E_{7B} V_{C5} * Glass$
P	CYCLONE RESISTANCE	Class 5
	ORIENTATION	Up to 80°

Tested according to European standards EN1026 – EN1027 – EN12211 $^{\ast}(A$ = Air, E = Water, V = Wind)

CONFIGURATIONS



-	

1	Frame with

Frame with glass louvers aluminium louvers

Combination frame with glass and aluminium louvers

monobloc window



Architect: 2APMR Photographer Hervé Douris

;

s louvers (W 1 m x H 1.14 m)

_	_	_
-	-	-

Frame with fly screen and monobloc window

